

**Safety Data Sheet**

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Issue date: 9/5/2024 Version: 1.0

**SECTION 1: Identification**

**1.1. Identification**

Product form : Article  
Product name : MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD  
Other means of identification : ESR 5192

**1.2. Recommended use and restrictions on use**

Recommended use : Tile backer board (substrate for tile / mortar application) for walls and floors in residential and commercial construction.  
Restrictions on use : No data available

**1.3. Supplier**

NEXGEN Building Products, LLC  
1904 Manatee Avenue West #300  
Bradenton, FL 34205  
USA  
T (727) 620-3334

**1.4. Emergency telephone number**

Emergency number : (727) 620-3334

**SECTION 2: Hazard(s) identification**

**2.1. Classification of the substance or mixture**

**GHS US classification**

Not classified

**2.2. GHS Label elements, including precautionary statements**

**GHS US labeling**

No labeling applicable

**2.3. Other hazards which do not result in classification**

No additional information available

**2.4. Unknown acute toxicity (GHS US)**

No additional information available

**SECTION 3: Composition/Information on ingredients**

**3.1. Substances**

Not applicable

# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)
Magnesium oxide	CAS-No.: 1309-48-4	15-40
Magnesium sulfate (1:1)	CAS-No.: 7487-88-9	10-30
Water	CAS-No.: 7732-18-5	10-30
Wood Fiber	CAS-No.: Not available	5-10
Glass, oxide	CAS-No.: 65997-17-3	1-5
Pumice	CAS-No.: 1332-09-8	1-5
Proprietary ingredient*	CAS-No.: Trade Secret	1-5
Phosphate	CAS-No.: 14265-44-2	0.5-1.5
Perlite	CAS-No.: 130885-09-5	<0.1
Pigment	CAS-No.: Not available	<0.1

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: In the event of exposure to high concentrations of dust : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: No adverse effects expected. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell. Rinse mouth.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: In the event of exposure to high concentrations of dust : May cause respiratory irritation. May cause an allergy or asthma symptoms or breathing difficulties if inhaled. Wood dust may cause nasopharyngeal cancer and/or cancer of the nasal cavities and paranasal sinuses by inhalation.
Symptoms/effects after skin contact	: No adverse effects expected. Dust may cause irritation in skin folds or by contact in combination with tight clothing. Repeated or prolonged contact may cause allergic reactions in very susceptible persons.
Symptoms/effects after eye contact	: In the event of exposure to high concentrations of dust : May cause eye irritation.
Symptoms/effects after ingestion	: Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: No data available.

# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation. Avoid creating or spreading dust.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin, eyes and clothing. Do not breathe dust.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Minimize airborne dust generation and prevent wind dispersal during loading and unloading. Collect all waste in suitable and labeled containers and dispose according to local legislation.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Minimize airborne dust generation and prevent wind dispersal during loading and unloading.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe dust.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Magnesium oxide (1309-48-4)

#### USA - ACGIH - Occupational Exposure Limits

Local name	Magnesium oxide
------------	-----------------

# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Magnesium oxide (1309-48-4)</b>	
ACGIH OEL TWA	10 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: URT; metal fume fever. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2023
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Magnesium oxide fume - Total Particulate
OSHA PEL TWA	15 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>Glass, oxide (65997-17-3)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Synthetic vitreous fibers - Continuous filament glass fibers
ACGIH OEL TWA	5 mg/m <sup>3</sup> (I - Inhalable particulate matter) 1 fibers/cm <sup>3</sup> (F - Respirable fibers)
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
<b>Wood Fiber</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Wood dusts All other species
ACGIH OEL TWA	1 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Pulm func; URT & LRT irr. Notations: Oak and beech = A1 (Confirmed Human Carcinogen); Birch, mahogany, teak, walnut = A2 (Suspected Human Carcinogen); All other wood dusts = A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

<b>Hand protection:</b>
Protective gloves
<b>Eye protection:</b>
Safety glasses
<b>Skin and body protection:</b>
Wear suitable protective clothing
<b>Respiratory protection:</b>
In case of insufficient ventilation, wear suitable respiratory equipment. Wear a mask

# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Solid panel
Color	: Various colours
Odor	: Odorless
Odor threshold	: No data available
pH	: Not applicable
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: Not applicable
Flammability (solid, gas)	: Not flammable
Vapor pressure	: Not applicable
Relative vapor density at 20°C	: Not applicable
Relative density	: No data available
Solubility	: Not soluble in water alone
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not oxidising

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid creating or spreading dust.

# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

Strong acids.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Magnesium oxide (1309-48-4)

LD50 oral rat	3990 mg/kg
---------------	------------

#### Magnesium sulfate (1:1) (7487-88-9)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

LD50 dermal rat	> 2000 mg/kg
-----------------	--------------

#### Proprietary ingredient

LD50 oral rat	3000 mg/kg
---------------	------------

#### Glass, oxide (65997-17-3)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

Skin corrosion/irritation : Not classified  
pH: Not applicable

Serious eye damage/irritation : Not classified  
pH: Not applicable

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Viscosity, kinematic : Not applicable

Symptoms/effects after inhalation : In the event of exposure to high concentrations of dust : May cause respiratory irritation. May cause an allergy or asthma symptoms or breathing difficulties if inhaled. Wood dust may cause nasopharyngeal cancer and/or cancer of the nasal cavities and paranasal sinuses by inhalation.

Symptoms/effects after skin contact : No adverse effects expected. Dust may cause irritation in skin folds or by contact in combination with tight clothing. Repeated or prolonged contact may cause allergic reactions in very susceptible persons.

Symptoms/effects after eye contact : In the event of exposure to high concentrations of dust : May cause eye irritation.

Symptoms/effects after ingestion : Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Magnesium sulfate (1:1) (7487-88-9)	
LC50 - Fish [1]	> 96.4 mg/l
EC50 - Crustacea [1]	> 88.7 mg/l
EC50 72h - Algae [1]	0.00411 mg/l
Proprietary ingredient	
LC50 - Fish [1]	48 mg/l
Glass, oxide (65997-17-3)	
LC50 - Fish [1]	> 1000 mg/l
Phosphate (14265-44-2)	
LC50 - Fish [1]	670 mg/l
EC50 96h - Algae [1]	1103 mg/l

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Additional information : Consult an expert on waste disposal or treatment.

## SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated

# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA
<b>14.4. Packing group</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

### 14.6. Special precautions for user

#### DOT

Not regulated

#### TDG

Not regulated

#### IMDG

Not regulated

#### IATA

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Magnesium oxide	1309-48-4	Present	Active	
Magnesium sulfate (1:1)	7487-88-9	Present	Active	
Proprietary ingredient		Present	Active	
Glass, oxide	65997-17-3	Present	Active	
Pumice	1332-09-8	Present	Active	
Water	7732-18-5	Present	Active	
Phosphate	14265-44-2	Present	Active	

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### Canada

#### Magnesium oxide (1309-48-4)

Listed on the Canadian DSL (Domestic Substances List)



# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Magnesium sulfate (1:1) (7487-88-9)

Listed on the Canadian DSL (Domestic Substances List)

### Proprietary ingredient

Listed on the Canadian DSL (Domestic Substances List)

### Glass, oxide (65997-17-3)

Listed on the Canadian DSL (Domestic Substances List)

### Pumice (1332-09-8)

Listed on the Canadian DSL (Domestic Substances List)

### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

### Phosphate (14265-44-2)

Listed on the Canadian NDSL (Non-Domestic Substances List)

### EU-Regulations

No additional information available

### National regulations

#### Magnesium oxide (1309-48-4)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Magnesium sulfate (1:1) (7487-88-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Proprietary ingredient

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Glass, oxide (65997-17-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Water (7732-18-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. US State regulations

#### Glass, oxide (65997-17-3)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)

# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Glass, oxide (65997-17-3)					
Yes	No	No	No		

Wood Fiber as Wood dust					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Component	State or local regulations
Magnesium oxide(1309-48-4)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
Wood Fiber as Wood dust	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - New Jersey - Right to Know Hazardous Substance List
Phosphate(14265-44-2)	U.S. - New York City - Right to Know Hazardous Substances List

### SECTION 16: Other information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose


# MAXTERRA™ MgO FIRE-AND WATER-RESISTANT BACKER BOARD

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms	
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

- NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
- NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
- NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



- Hazard Rating
- Health : 0 Minimal Hazard - No significant risk to health
- Flammability : 0 Minimal Hazard - Materials that will not burn
- Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.