

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/5/2024 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form Product name Other means of identification	: Article : MAXTERRA™ MgO Non-Combustible Single-Layer Structural Floor Panels : ESR 5194
1.2. Recommended use and restrictions of	on use
Recommended use Restrictions on use	 Structural floor sheathing for residential and commercial construction No data available
1.3. Supplier	
NEXGEN Building Products, LLC 1904 Manatee Avenue West #300 Bradenton, FL 34205 USA T (727) 620-3334	
1.4. Emergency telephone number	
Emergency number	: (727) 620-3334
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
GHS US classification	
Not classified	
2.2. GHS Label elements, including preca	utionary statements
GHS US labeling	
No labeling applicable	
2.3. Other hazards which do not result in	classification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
No additional information available	
SECTION 3: Composition/Information	on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures

3.2. Mixtures		
Name	Product identifier	Conc. (% w/w)
Magnesium oxide	CAS-No.: 1309-48-4	30-60
Pumice	CAS-No.: 1332-09-8	10-30
Magnesium sulfate (1:1)	CAS-No.: 7487-88-9	10-30
Water	CAS-No.: 7732-18-5	10-30
Glass, oxide	CAS-No.: 65997-17-3	1-5
Perlite	CAS-No.: 130885-09-5	1-5
Proprietary ingredient*	CAS-No.: Trade Secret	1-5
Phosphate	CAS-No.: 14265-44-2	0.1-1
Wood Fiber	CAS-No.: Not available	0.1-1
Pigment	CAS-No.: Not available	<0.1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: In the event of exposure to high concentrations of dust : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	 No adverse effects expected. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell. Rinse mouth.
4.2. Most important symptoms and effect	s (acute and delayed)
Symptoms/effects after inhalation	: In the event of exposure to high concentrations of dust : May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Wood dust may cause nasopharyngeal cancer and/or cancer of the nasal cavities and paranasal sinuses by inhalation.
Symptoms/effects after skin contact	: No adverse effects expected. Dust may cause irritation in skin folds or by contact in combination with tight clothing. Repeated or prolonged contact may cause allergic reactions in very susceptible persons.
Symptoms/effects after eye contact	: In the event of exposure to high concentrations of dust : May cause eye irritation.
Symptoms/effects after ingestion	: Possible irritation of mucous membranes and digestive tract, nausea, vomiting.
4.3. Immediate medical attention and spe	cial treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	g media
Suitable extinguishing media Unsuitable extinguishing media	 Use extinguishing media appropriate for surrounding fire. No data available.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from the chemi	cal
Fire hazard	: Not flammable.
5.3. Special protective equipment and preca	utions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION	6. Accidenta	I release measures
SECTION	0. Accidenta	i i elease illeasules

6.1. Personal precautions, protective equ	ipment and emergency procedures
General measures	: Ensure adequate ventilation. Avoid creating or spreading dust.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin, eyes and clothing. Do not breathe dust.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containmen	nt and cleaning up
Methods for cleaning up	: Minimize airborne dust generation and prevent wind dispersal during loading and unloading. Collect all waste in suitable and labeled containers and dispose according to local legislation.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	9
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Minimize airborne dust generation and prevent wind dispersal during loading and unloading. Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe dust.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	uding any incompatibilities

Storage conditions

: Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Magnesium oxide (1309-48-4)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Magnesium oxide
ACGIH OEL TWA	10 mg/m ³ (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: URT; metal fume fever. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2023
USA - OSHA - Occupational Exposure Limits	•
Local name	Magnesium oxide fume - Total Particulate
OSHA PEL TWA	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Glass, oxide (65997-17-3)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Synthetic vitreus fibers - Continuous filament glass fibers
ACGIH OEL TWA	5 mg/m ³ (I - Inhalable particulate matter)
	1 fibers/cm ³ (F - Respirable fibers)
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
Wood Fiber	
USA - ACGIH - Occupational Exposure Limits	
Local name	Wood dusts All other species
ACGIH OEL TWA	1 mg/m ³ (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Pulm func; URT & LRT irr. Notations: Oak and beech = A1 (Confirmed Human Carcinogen); Birch, mahogany, teak, walnut = A2 (Suspected Human Carcinogen); All other wood dusts = A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
8.2. Appropriate engineering controls	·
	Ensure good ventilation of the work station. Avoid release to the environment.
8.3. Individual protection measures/Personal	protective equipment
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear a mask

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Solid panel
Color	: Various colours
Odor	: Odorless
Odor threshold	: No data available
рН	: Not applicable
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: Not applicable
Flammability (solid, gas)	: Not flammable
Vapor pressure	: Not applicable
Relative vapor density at 20°C	: Not applicable
Relative density	: No data available
Solubility	: Not soluble in water alone
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not oxidising

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Avoid creating or spreading dust.

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (dermal)	 Not classified Not classified Not classified
Magnesium oxide (1309-48-4)	
LD50 oral rat	3990 mg/kg
Magnesium sulfate (1:1) (7487-88-9)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Proprietary ingredient	
LD50 oral rat	3000 mg/kg
Glass, oxide (65997-17-3)	
LD50 oral rat	> 2000 mg/kg
Skin corrosion/irritation	Not classified pH: Not applicable
Serious eye damage/irritation	: Not classified pH: Not applicable
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
	: Not applicable
	: In the event of exposure to high concentrations of dust : May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Wood dust may cause nasopharyngeal cancer and/or cancer of the nasal cavities and paranasal sinuses by inhalation.
Symptoms/effects after skin contact	: No adverse effects expected. Dust may cause irritation in skin folds or by contact in combination with tight clothing. Repeated or prolonged contact may cause allergic reactions in very susceptible persons.
Symptoms/effects after eye contact	: In the event of exposure to high concentrations of dust : May cause eye irritation.
Symptoms/effects after ingestion	: Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Magnesium sulfate (1:1) (7487-88-9)	
LC50 - Fish [1]	> 96.4 mg/l
EC50 - Crustacea [1]	> 88.7 mg/l
EC50 72h - Algae [1]	0.00411 mg/l
Proprietary ingredient	
LC50 - Fish [1]	48 mg/l
Glass, oxide (65997-17-3)	
LC50 - Fish [1]	> 1000 mg/l
Phosphate (14265-44-2)	
LC50 - Fish [1]	670 mg/l
EC50 96h - Algae [1]	1103 mg/l
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation Waste treatment methods Additional information : Disposal must be done according to official regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Consult an expert on waste disposal or treatment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA					
DOT TDG IMDG IATA					
14.1. UN number					
Not regulated for transport					

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG	IMDG	ΙΑΤΑ		
		·		
Not regulated	Not regulated	Not regulated		
)	1			
Not regulated	Not regulated	Not regulated		
14.4. Packing group				
Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated		
	Not regulated Not regulated Not regulated	Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated		

14.6. Special precautions for user

DOT Not regulated

TDG Not regulated

IMDG Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according	ng to the United States Environmental Protection	Agency's Toxic Substances Control Act (TSCA):
Commercial status of components accordin	ng to the Onited States Environmental Protection.	Agency's Toxic Substances Control Act (TSCA).

Name	CAS-No.	Listing	Commercial status	Flags
Magnesium oxide	1309-48-4	Present	Active	
Magnesium sulfate (1:1)	7487-88-9	Present	Active	
Pumice	1332-09-8	Present	Active	
Proprietary ingredient		Present	Active	
Glass, oxide	65997-17-3	Present	Active	
Water	7732-18-5	Present	Active	
Phosphate	14265-44-2	Present	Active	

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

45.0 International regulations
15.2. International regulations
Canada
Magnesium oxide (1309-48-4)
Listed on the Canadian DSL (Domestic Substances List)
Magnesium sulfate (1:1) (7487-88-9)
Listed on the Canadian DSL (Domestic Substances List)
Pumice (1332-09-8)
Listed on the Canadian DSL (Domestic Substances List)
Proprietary ingredient
Listed on the Canadian DSL (Domestic Substances List)
Glass, oxide (65997-17-3)
Listed on the Canadian DSL (Domestic Substances List)

Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

Phosphate (14265-44-2)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Magnesium oxide (1309-48-4)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Magnesium sulfate (1:1) (7487-88-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Proprietary ingredient

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Glass, oxide (65997-17-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Water (7732-18-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

Glass, oxide (65997-17-3)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Wood Fiber as Wood dust					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Component	State or local regulations
Magnesium oxide(1309-48-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
Wood Fiber as Wood dust	U.S Pennsylvania - RTK (Right to Know) List; U.S New Jersey - Right to Know Hazardous Substance List
Phosphate(14265-44-2)	U.S New York City - Right to Know Hazardous Substances List

SECTION 16: Other information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations a	nd acronyms		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		
NFPA health haza	rd : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.		
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.		
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.		
Hazard Rating Health Flammability Physical	 0 Minimal Hazard - No significant risk to health 0 Minimal Hazard - Materials that will not burn 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. 		
Safaty Data Shoot			

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.